Confains No CEI





RHÔNE-POULENC INC.

CN 7500, CRANBURY, NJ 08512-7500 TELEPHONE: (609) 395-8300



8EHQ-92-12075 INIT 88920010313

October 27, 1992

CERTIFIED MAIL
RETURN RECEIPT REQUESTED
P 513 377 997

Document Processing Center (TS-790)
Attn: Section 8(e) Coordinator (CAP Agreement)
Office of Toxic Substances
Environmental Protection Agency
401 M Street, S.W.
Washington, D.C. 20460

RE: Report Submitted Pursuant to the TSCA Section 8(e) Compliance

Audit Program

CAP ID NO.: <u>8ECAP - 0004</u>

RP CAP REPORT NO.: RPS - 0131

Dear Sir/Madam:

On behalf of Rhône-Poulenc Inc (RPI, CN5266, Princeton, NJ 08543-5266) and its subsidiaries, the attached report is being submitted to the Environmental Protection Agency (EPA) pursuant to the Toxic Substances Control Act (TSCA) Section 8(e) Compliance Audit Program (CAP Agreement) executed by RPI and EPA (8ECAP - 0004).

The enclosed report provides information on the following chemical substance:

Product Name:

DV 1143


Glycol Glycidyl Ether

CAS Registry No:

2224-15-9

CAS Registry Name:

2,2'-[1,2-ethanediylbis(oxymethylene)]bisoxirane





The title of the enclosed report is:

Approximate Acute Oral Toxicity (LD50) in Rats

The following is a summary of the adverse effects in this report.

Decreased activity, ataxia, salivation, urination, and tremors were observed in animals surviving to study termination as well as in those dying during the study. The oral LD_{50} of the test material was found to be $2.50 \, \text{ml/kg}$.

RPI does not claim any portion of the information in this submission to be TSCA confidential business information (TSCA CBI).

RPI has not previously submitted any TSCA Section 8(e) notices or premanufacture notification on the subject chemical substance.

RPI has submitted a Primary Skin Irritation study on this material under the CAP Agreement; see RP CAP Report No. RPS-0132.

In total, RPI is submitting three copies of the enclosed report and this cover letter: an original and two copies.

Further questions regarding this submission may be directed to Dr. Glenn S. Simon, Director of Toxicology at (919)549-2222 (Rhône-Poulenc, P.O. Box 12014, 2 T.W. Alexander Drive, Research Triangle Park, NC 27709).

Sincerely,

Charles E. Moyer, Jr., Ph.D.

Chulu & Mynh

Director, Product Safety

(609)860-3589

CEMjr/mm Enclosures



FOOD AND DRUG ESEATCH LABORATORIES, INC.

GAPID No. SCR-BAK-0741 Revisited for Sec. 8 (e) Compliance Program On Idiolat By BAK

> WAVERLY RESEARCH CENTER Route 17C

P. O. Box 107 Waverly, New York 14892

(607) 565-2931

 $\frac{R}{E} \stackrel{E}{P} \stackrel{O}{O} \stackrel{R}{R} \stackrel{T}{\underline{T}}$

Submitted to:

Alcolac, Inc.

3440 Fairfield Road

Baltimore, Maryland

Date:

March 28, 1978

Sample:

Clear viscous liquid.

Laboratory No. 5701

Marking:

DV-1143; Cyclol Glycidyl Ether.

Examination Requested: Approximate acute oral toxicity (LD 50) in rats.

21226

Procedure:

The acute (single dose) oral toxicity was determined in rats employing a modified procedure in "Appraisal of the Safety of Chemicals in Foods, Drugs and Cosmetics, Published by the Association of Food and Drug Officials of the U.S. (1959)".

Animals:

Adult albino rats BLU: (SD) BR Sprague-Dawley derived, were fasted for 18 hours prior to dosage with food and water ad libitum, after dosage. Groups of 5 males and 5 females were then intubated with the respective doses of the test material. Animals were observed daily for 14 days following administration of the test material, and deaths were recorded.

The acute oral toxicity LD₅₀ for rats was calculated according to the method of Miller and Tainter (Proc. Soc. Biol. Med. 57, 261 (1944)).

Results and Summary: See Tables 1, 2, 3 and 4.

Conclusion:

The approximate acute oral LD $_{50}$ obtained for the test material identified above is 2.50 \pm 0.11 ml per kg of body weight estimated by interpolation from the probit response curve.

- 1 11.11

Jean T. Griffiths,

(Study Director

John G. Babish, Ph.D., Staff Toxicologist,

Waverly Research Center



Table 1
Preliminary Search

 · ,										
Dosage* Level	No. Rats Dosed		Deaths							Mortality After
ml/kg		0	1	2	3	Day- 4	5	6	7	7 Days
1.0	2	0	0	0	0	0	0	0	0	0/2
2.5	2	1	1		-	-		-	-	2/2
5.0	2	1	1	-	· •••	-			. <u>-</u>	2/2
10.0	2	1	1			-	•••		-	2/2
15.0	2	2	-	_	_	_	· <u>-</u> ,			2/2

^{*} Administered as received.



Table 2 Summary of LD_{50} Assay

	Dosage No.								Deaths				Mortality					
Level ml/kg	Rats Dosed	0	1	2	3	4	5	6	7	-Day 8	9	10	11	12	13	14	After 14 Days	
	.50*	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/10
	1.50*	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/10
	1.75*	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/10
	2.00*	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/10
	2.30**	10	2	4	0	0	1	1	0	0	0	0	0	0	0	0	0	8/10
	2.50**	10	0	3	0	0	0	1	1	0	0	0	0	0	0	0	0	5/10
	2.75**	10	0	8	2	_	_	-	- .			almas		. -	-		-	10/10
	3.25**	10	3	4	1	0	1	0	0	0	0	0	0	0	0	0	0	9/10
	5.00*	10	4	3	0	2	1	_	_	_				_	_	_	-	10/10

^{*} Administered as a 25% (v/v) corn oil solution. ** Administered as received.



Table 3 Summary of Observations

Dose Level ml/kg	Symptoms	Necropsy Findings
.50*	Decreased activity.	No deaths.
1.50*	Decreased activity, Ataxia.	No deaths.
1.75*	Decreased activity, Ataxia.	No deaths.
2.00*	Decreased activity, Ataxia, Salivation, Urinary incontinence.	No deaths.
2.30**	Decreased activity, Ataxia, Salivation, Urinary incontinence, Tremors.	Lungs: dark. Liver: dark. Spleen: dark. Kidneys: pale. Intestines: contain a bloody substance.
2.50**	Decreased activity, Ataxia, Salivation, Urinary incontinence, Bloody nasal discharge, Rales.	Lungs: dark. Liver: dark. Spleen: dark and granular. Kidneys: dark and mottled. Intestines: contain a bloody substance.

^{*} Administered as a 25% (v/v) corn oil solution. (Continued)
** Administered as received.



Table 3

Summary of Observations

Dose Level ml/kg	Symptoms	Necropsy Findings
Continued.		
2.75**	Decreased activity, Ataxia, Decreased respiration.	Lungs: dark and mottled. Liver: dark. Spleen: dark. Kidneys: dark. Intestines: contain a bloody substance.
3.25**	Decreased activity, Ataxia, Urinary incontinence, Bloody nasal discharge, Decreased respiration.	Lungs: dark and mottled. Liver: dark and granular. Spleen: dark and granular. Kidneys: dark. Intestines: contain a bloody substance.
5.00*	Decreased activity, Severe ataxia, Urinary incontinence.	Lungs: mottled. Liver: dark and mottled. Spleen: granular. Kidneys: dark and mottled. GI Tract: red in color. Skin: vascularized.

^{*} Administered as a 25% (v/v) corn oil solution. ** Administered as received.



Table 4
Individual Body Weight Data
(Males)

	Dose Level	Animal	No.	Body 1	Weights (g)	
•	ml/kg	& Sex		Initial	14 Days	
	.50*	6 M 7 M 8 M 9 M 10 M	Average	275 277 280 290 177	320 335 353 352 251 322	
	1.50*	16 M 17 M 18 M 19 M 20 M	Average	166 190 297 280 185 ———	252 308 362 272 234 ——————————————————————————————————	
	1.75*	26 M 27 M 28 M 29 M 30 M	Average	172 283 260 274 180	267 320 319 324 286 303	
	2.00*	36 M 37 M 38 M 39 M 40 M	Average	270 273 285 185 180 ———————————————————————————————————	326 319 337 277 257 303	

^{*} Administered as a 25% (v/v) corn oil solution.

(Continued)



Table 4
Individual Body Weight Data
(Males)

			· · · · · · · · · · · · · · · · · · ·	•	
	Dose Level ml/kg	Animal & Sex	No.	Body We	eights (g) 14 Days
···					
	Continued.				
	2.30**	1 M 2 M		205 247	 298
		3 M 4 M 5 M		242 240 272	
		JH	Average	241	298
•					
	2.50**	11 M 12 M 13 M 14 M		225 225 235	240 250
		15 M		265 253	
			Average	241	245
	2.75**	1 M 2 M 3 M 4 M 5 M		223 228 218 201 211	223
			Average	216	223
	3.25**	11 M 12 M 13 M 14 M 15 M		190 215 216 210 205	200 000 000 200 000 000 200 000 000 200 000 0
			Average	207	-0-

** Administered as received.



Table 4
Individual Body Weight Data

(Males)

Dose Level ml/kg	Animal No. & Sex	Body Weigh Initial	ts (g) 14 Days
Continued.		•	
5.00*	46 M	273	·
	47 M 48 M	290 300	
	49 M 50 M	180 295	
	Average	268	-0-

^{*} Administered as a 25% (v/v) corn oil solution.



Table 4
Individual Body Weight Data

(Females)

Dose Level	Animal	No.	Body We	ights (g)
ml/kg	& Sex		Initial	14 Days
.50*	11 F 12 F 13 F 14 F 15 F		160 170 210 173 162	193 217 257 225 194
		Average	175	217
1.50*	21 F 22 F 23 F 24 F 25 F		211 165 197 195 156	252 222 227 243 196
		Average	185	228
1.75*	31 F 32 F 33 F 34 F 35 F		250 221 195 155 215	239 255 225 193 265
		Average	207	235
2.00*	41 F 42 F 43 F 44 F 45 F	Average	160 175 176 175 217 ———————————————————————————————————	188 197 207 184 237 ————

^{*} Administered as a 25% (v/v) corn oil solution.



Table 4
Individual Body Weight Data

(Females)

Dose Level	Animal	No	Rody We:	ights (g)
ml/kg	& Sex		Initial	14 Days
Continued.				
2.30**	6 F 7 F 8 F 9 F 10 F		120 175 177 175 180	210
		Average	165	210
2.50**	16 F 17 F 18 F 19 F 20 F	Average	177 182 173 183 177	202 215 215 211
2.75**	6 F 7 F 8 F 9 F 10 F	Average	177 185 175 177 195	-0-
3.25**	16 F 17 F 18 F 19 F 20 F	Average	188 173 170 165 180	185 185

^{**} Administered as received.



Table 4
Individual Body Weight Data

Dose Level ml/kg	Animal No. & Sex	Body We Initial	eights (g) 14 Days	-
Continued.				•
5.00*	51 F 52 F	165 150		
	53 F 54 F	145 153		
	55 F	160		
	Average	155	-0-	

^{*} Administered as a 25% (v/v) corn oil solution.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

Charles E. Moyer, Jr., Ph.D.
Director, Product Safety
Rhône-Poulenc Inc.
CN 7500
Cranh rry, New Jersey 08512-7500

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

APR 1 8 1995

EPA acknowledges the receipt of information submitted by your organization under Section 8(e) of the Toxic Substances Control Act (TSCA). For your r ference, copies of the first page(s) of your submission(s) are enclosed and display the TSCA §8(e) Document Control Number (e.g., 8EHQ-00-0000) assigned by EPA to your submission(s). Please cite the assigned 8(e) number when submitting follow-up or supplemental information and refer to the reverse side of this page for "EPA Information Requests"

All TSCA 8(e) submissions are placed in the public files unless confidentiality is claimed according to the procedures outlined in Part X of EPA's TSCA §8(e) policy statement (43 FR 11110, March 16, 1978). Confidential submissions received pursuant to the TSCA §8(e) Compliance Audit Program (CAP) should already contain information supporting confidentiality claims. This information is required and should be submitted if not done so previously. To substantiate claims, submit responses to the questions in the enclosure "Support Information for Confidentiality Claims". This same enclosure is used to support confidentiality claims for non-CAP submissions.

Please address any further correspondence with the Agency related to this TSCA 8(e) submission to:

Document Processing Center (7407)
Attn: TSCA Section 8(e) Coordinator
Office of Pollution Prevention and Toxics
U.S. Environmental Protection Agency
Washington, D.C. 20460-0001

EPA looks forward to continued cooperation with your organization in its ongoing efforts to evaluate and manage potential risks posed by chemicals to health and the environment.

Sincerely,

Terry R. O'Bryan

Risk Analysis Branch

Enclosure

12075A

Recycled/Recyclable Printed with Soy/Canola ink on paper that contains at least 50% recycled fiber

Triage of 8(e) Submissions

Date sent to triage: _	AUG 2 4 1985	NON-CAP	CAP
Submission number:	12075A	TSCA Inventory:) N D
Study type (circle ap	propriate):		
Group 1 - Dick Clen	nents (1 copy total)		
ECO	AQUATO		
Group 2 - Ernie Fall	ke (1 copy total)		
ATOX	SBTOX SEN	w/NEUR	
Group 3 - Elizabeth	Margosches (1 copy each)	grafia (m. 1865). Romania karing bilang	
STOX	CTOX EPI	RTOX GTOX	
STOX/ONCO	CTOX/ONCO IMMUNO	CYTO NEUR	
Other (FATE, EXPO, Notes:	MET, etc.):		
THIS IS THE ORIG	GINAL 8(e) SUBMISSION; PL	EASE REFILE AFTER TRIAGE DA	TABASE ENTRY
entire docum		ctor Use Only 人 pages <u>/</u>	3
Notes: Contractor re	viewer:US	Date: 3//0/95	

MINN IL MI	CAS SR NO	TRIAGE DATA NON-CBI INVENTORAL		0201 ONCO (HUMAN) 0202 ONCO (ANIMAL) 0203 CELL TRANS (IN VITRO) 0204 MUTA (IN VITRO) 0205 MUTA (IN VIVO) 0206 REPRO/IERATO (HUMAN) 0207 REPRO/IERATO (ANIMAL) 0210 ACUTE TOX. (HUMAN) 0211 CHR. TOX. (HUMAN) 0212 SUB ACUTE TOX (ANIMAL) 0214 SUB CHRONIC TOX (ANIMAL) 0215 CHRONIC TOX (ANIMAL)	INFORMATION TYPE:	SUB DATE: 10/27/92 OF CHEMICAL NAME: Glycol Glycidyl DV 1143	CECATS DATA: Submission # 8EHQ. 1192 - 12075 TYPE (NT) SUPP FLWP SUBMITTER NAME: Rhone - Pov
RE-1-R	NO (CONTINUE)	YES (DROP/REFER)	ONGOING REVIEW	01 02 04 0217 01 02 04 0217 01 02 04 0218 01 02 04 0229 01 02 04 0221 01 02 04 0222 01 02 04 0223 01 02 04 0224 01 02 04 0225 01 02 04 0225 01 02 04 0225 01 02 04 0226 01 02 04 0227 01 02 04 0228 01 02 04 0228	P F C INFOR	OTS DATE: 11 02/92	-Poulenc Inc.
HIGH	MED		SPECIES TOXICOLOGICAL CONCERN:	EPICLIN HUMAN EXPOS (PROD CONTAM) HUMAN EXPOS (ACCIDENTAL) HUMAN EXPOS (MONITORING) ECO/AQUA TOX ENV. OCCC/REL/FATE EMER INCI OF ENV CONTAM RESPONSE REQEST DELAY PROD/COMP/CHEM ID REPORTING RATIONALE CONFIDENTIAL ALLERG (HUMAN) ALLERG (ANIMAL) METAB/PHARMACO (ANIMAL) METAB/PHARMACO (HUMAN)	INFORMATION TYPE:	CSRAD DATE: Q	INFORMATION REQUESTED: FLWP DATE 0501 NO INFO REQUESTED (TECH) 0502 INFO REQUESTED (VOL ACTIONS) 0504 INFO REQUESTED (REPORTING RAT DISPOSITION: 0509 REFER TO CHEMICAL SCREENING 0578) CAP NOTICE
			L CONCERN:	01 02 04 0242 01 02 04 0242 01 02 04 0244 01 02 04 0245 01 02 04 0245 01 02 04 0247 01 02 04 0247 01 02 04 0251 01 02 04 0251 01 02 04 0259 01 02 04 0259 01 02 04 0259 01 02 04 0259	P F C INFORI	02/07/95 02/07/95	DATE: ONS) IG RATIONALE) VING
			USE: PRODUCTION:	IMMUNO (ANIMAL) IMMUNO (HUMAN) CHEMPHYS PROP CLASTO (IN VITRO) CLASTO (ANIMAL) CLASTO (HUMAN) DNA DAM/REPAIR PROD/USE/PROC MSDS OTHER 01	A)		PARTINITARY ACTIONS: 0401 NO ACTION RUPORTED 0402 STRIDIES PLANNEDAININER AN 0401 NOTIFICATION OF WORKER OTHERS 0404 LABELMISDS CHANGES 0405 PROCESSAIANDLING CHANGES 0406 APPLUSE DISCONTINUED 0407 PRODUCTION DISCONTINUED 0408 CONFIDENTIAL
÷ .				91 92 94 91 92 94	D. E. C.		¥

> <ID NUMBER> 8(E)-12075A

> <TOX CONCERN>

> < COMMENT>

ACUTE ORAL TOXICITY IN ADULT MALE AND FEMALE SPRAGUE-DAWLEY RATS IS OF LOW CONCERN. SINGLE ORAL DOSES OF 1.0, 2.5, 5.0, 10.0 AND 15.00 ML/KG GAVAGED TO 2 RATS EACH WERE ASSOCIATED WITH DEATH OF ALL BUT THE TWO ANIMALS OF A 1.0 ML/KG DOSAGE. THIS RANGE-FINDING STUDY DID NOT REPORT ANY SIGNS OF TOXICITY OBSERVED.

ACUTE ORAL TOXICITY IN ADULT MALE AND FEMALE SPRAGUE-DAWLEY RATS IS OF LOW CONCERN. SINGLE ORAL DOSES OF 0.5, 1.5, 1.75, 2.00, 2.30, 2.50, 2.75, 3.25 AND 5 ML/KG GAVAGED TO GROUPS OF 10 EACH ADULT RATS (1:1 MALE, FEMALE) WERE ASSOCIATED WITH SIGNS OF NEUROTOXICITY AND MORTALITY AS FOLLOWS: 0.50 - 2.00 ML/KG (0/40), 2.30 ML/KG (8/10), 2.50 ML/KG (5/10), 2.75 ML/KG (10/10), 3.25 ML/KG (9/10), 5.00 ML/KG (10/10). AN ORAL LD50 WAS 2.50 +/- 0.11 ML. SIGNS OF TOXICITY WERE DOSE DEPENDENT AND INCLUDED DECREASED ACTIVITY, ATAXIA, SALIVATION, URINARY INCONTINENCE, TREMORS, BLOODY NASAL DISCHARGE, RALES, DECREASED RESPIRATION AND DEATH. POSTMORTEM NECROPSY REVEALED DARK DISCOLORATION OF LUNGS, LIVER AND SPLEEN, PALE KIDNEYS, INTESTINES CONTAINING BLOODY SUBSTANCE, RED GI TRACT AND VASCULARIZED SKIN. ANIMALS SURVIVING LETHAL DOSES TO THE END OF 14-DAY OBSERVATION ALSO EXHIBITED REDUCED WEIGHT GAIN.

\$\$\$\$